




FLAT COPPER PRODUCTS

SHEETS, COILS AND STRIPS

PRODUCT PARAMETERS

Within our business group, we fulfill customers orders for one-time purchases of larger quantities of copper sheets, coils, and tapes.

PRODUCT	PARAMETER	SIZE (mm)
COILS, STRIPS	Thicknes	0,1 - 7,0
	Width	6,0 - 1000
SHEETS	Thicknes	0,1 - 10
	Width	400 - 1000
	Length	500 - 6000
PLATES	Thicknes	7,0 - 150
	Width	500 - 2000
	Length	On demand / as per order

Products made in accordance with the standards:

EN 13599:2014-04

Copper plates, sheets, and strips for electrical purposes

EN 1652:1999

Copper plates, sheets, strips, and discs for general purposes

EN 1172:2012

Copper sheets and strips for construction



www.nova-trading.com
www.nova-metale.pl



PRODUCTION

WE OFFER:

- Cutting of coils into sheets and strips
- Laser cutting of sheets
- Shearing
- Bending of sheets
- Coating of sheets
(up to a width of 2000mm)

For processing, we use both our own materials and those provided by the client.

Please contact our Sales Department to obtain a quote for materials and production orders.



www.nova-trading.com
www.nova-metale.pl



PRODUCTS

Basic copper grades available in our offer, labeled according to standards:

EN		DIN	ASTM
Symbol	Number		
Cu-ETP	CW004A	E-Cu58	C11000
Cu-HCP	CW021A	SE-Cu57	C10300
Cu-OF	CW008A	OF-Cu	C10200
Cu-DLP	CW023A	SW-Cu	C12000
Cu-DHP	CW024A	SF-Cu	C12200

Characteristics

- Cu-ETP** High electrical conductivity electrolytic copper
- Cu-HCP** Phosphorus-deoxidized high electrical conductivity copper
- Cu-OF** Oxygen-free high electrical conductivity copper, containing at least 99.95% Cu
- Cu-DLP** Phosphorus-deoxidized copper with low phosphorus content
- Cu-DHP** Phosphorus-deoxidized copper with high phosphorus content



www.nova-trading.com
www.nova-metale.pl

